

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG.8




FIG. 9




FIG. 10




FIG. 11




FIG. 12





FIG. 13






FIG. 15




FIG. 16


Preparation : Left Leg
Acetabular Preparation

Verify pelvic Tracker

Change in Leg Length No leg changes planned


Acetabular : 2 mm lengthening

Depth: 2 Reamer: 54



Fronto

50° Inclination 2 mm lateralization
26° Anteversion



Lateral

☐ Reamer Diameter : 54 mm ☐

☐ Trident hemispherical

☐ Standard Trident 0° Insert

☒ Record final Reamer Position

Press SELECT to activate recording of position of the Reamer.

Insert Acetabular Trial

Pointer Pelvis Reamer Main Menu

FIG. 17

Preparation : Left Leg
Femoral Preparation

Change in Leg Length
Femoral : 12 mm lengthening
Acetabular : 3 mm lengthening
Total : 15 mm lengthening

Planned Changes:
Femur : 2 mm lateralization
Length : 5 mm lengthening

size 7
9° ante.
9 mm medial.
3° varus

☒ Osteonics Secur-fit -HA (132°)
☒ size 7
☒ C-Taper CoCr 28 mm
☒ offset -3 mm
☒ Record final Broach Position

Reposition with Trials

Femur Broach Main Menu

FIG. 18




FIG. 19




FIG. 20




FIG. 21

